
# **SAMPSON MILLS**

CURTAIN TRACK & FLAT PANEL HARWARE



**SINCE 2011** 



# **Quick Links**



Website



Instagram



**♂**TikTok



**3-Part Spec** 



Curtain Brochures



Panel Brochures



Installation Videos



Development Program


























#### **Column Profile** Page 6





#### **Gemini Profile** Page 7-8









Standard Lead time Curtain & Panel track hardware 2-3 Weeks (4-5 Weeks with curves)

## **Curtain Style**







F16 - Recessed curtain track with wings for mudding into ceiling.





FS16 - Ceiling mounted curtain track






F120 - Suspended and Wall Mounted curtain track














## F16 - Recessed curtain track with wings for mudding into ceiling.





Minimum Radius 5" Standard Radius 10" No Maximum Radius













## FS16 - Ceiling mounted curtain track





Minimum Radius 5" Standard Radius 10" No Maximum Radius



**Butt Master & Overlap Arm** 



New Blackout overlap Bend










#### F120 - Suspended, Wall & Ceiling **Mounted Curtain track**



Minimum Radius 10" Standard Radius 10" No Maximum Radius









#### **Shuttle Profile**

#### Suspend/Wall Mount/Ceiling Mount







#### **Recess**

PF121R

#### Cieling Mount

PF121

PF122

PF123

PF124


PF125

#### **Shuttle Carrier**



PFB90 PFB12 Can work with a range of sizes. See brochure for details.

For Fabrics and materials under 5 mm thickness use our 2 strip solution for mounting your material.





<sup>\*</sup>Tracks can be suspended when connecting to PF120

#### **Column Profile**





**SF90** 






Minimum Radius 10" Standard Radius 10" No Maximum Radius








No need to build walls for your flex space and restaurants. Can work with a range of sizes. **See brochure for details.** 

Utilize our Locke option to reduces tension on open weave materials like fish net materials helping to avoid the hourglass shape and reducing stretching in your fabric.






#### **Gemini Profile**



Minimum Radius 10" Standard Radius 10" No Maximum Radius







With the Gemini the power of what is seen and of what isn't seen is now under your full control redefining customer experience.

As you walk through a space your first impressions often control how you perceive everything after.

The predetermined angles of the Gemini system are unique in that they allow you to block out what you don't want seen like a highway or dumpster and allows you to bring in to view the sites you want seen like the pool, the ocean, the mountains. giving you full control of the room without anyone even realizing it you control the emotional feel of the ambiance.



#### **Gemini Baffle Profile**








Minimum Radius 10" Standard Radius 10" No Maximum Radius



#### **Gemini Carrier**



PFB90 PFB12 Can work with a range of sizes. See brochure for details.



## The Gemini Baffle

Great for skylights, exposed ceilings, music studios or just to help with the echo in your open room.





#### Chameleon -

**Custom Colors For All Sampson Mills Tracks** 

# 



We offer black, white, and silver as our standard color options but we understand in design there are ever-changing color schemes to match individual personalities of a space and the person calling the space home even if just for a quick stay.

With the Chameleon USA
Powder coatedColor options you
can now order a track in a
custom RAL Color for your
project without any minimums.



An example of some fun pop colors we've used in past projects.











Let your imagination go wild
















#### Roller Shade Isaac Chain Free Roller shade



Down By bottom bar - Down By Magnetic wand - Up by magnetic wand







## Roller Shade Isaac

Chain free operation brought to you without the cost of motorization. Offering an array of colors for your project with child safety and ADA Room compatibility.

#### **Color Options:**



MEDIUM GREY FRONT	2199
BACK	





	2199 DETAILS
Composition	100% Polyester
Properties	White backing Flame Resistant 5-year warranty Suitable for moist condition
Certifications	OEKO-TEX® Certified PVC-free, Lead-free





# **Sampson Mills**

Page 8



**Digital Database** 



(718) 412-9040 Info@sampsonmills.com